





AD-A242 085

NAVY EXPERIMENTAL DIVING UNIT

REPORT NO. 11-91

IANNED EVALUATION OF BAUER K-280.75 ELECTRIC DRIVE HIGH PRESSURE AIR COMPRESSOR

GEORGE D. SULLIVAN

SEPTEMBER 1991

NAVY EXPERIMENTAL DIVING UNIT

91-14726



91 10 31 09

Y STATEMENT A



# DEPARTMENT OF THE NAVY NAVY EXPERIMENTAL DIVING UNIT

PANAMA CITY, FLORIDA 32407-5001

IN REPLY REFER TO:

NAVSEA TASK 91-003

# NAVY EXPERIMENTAL DIVING UNIT

REPORT NO. 11-91

UNMANNED EVALUATION OF BAUER K-280.75 ELECTRIC DRIVE HIGH PRESSURE AIR COMPRESSOR

GEORGE D. SULLIVAN

SEPTEMBER 1991

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

Submitted:

G.D. SULLIVAN

GS-11

Test Director

Reviewed:

J W. McCARTHY

GM-14

Hyperbaric, Engineer

Approved:

JAMES E. HALWACHS

CDR, U.S. Navy

Commanding Officer

B.K. MILLER, JR.

LCDR LISN

Senior Projects Officer

J.B. McDONELL

LCDR, USN

Executive Officer

REPORT DOCU	MENTATION PAGE
1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED	1b. RESTRICTIVE MARKINGS
2a. SECURITY CLASSIFICATION AUTHORITY	3. DISTRIBUTION/AVAILABILITY OF REPORT
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE	DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited
4. PERFORMING ORGANIZATION REPORT NUMBER(S) NEDU Report #11-91	5. MONITORING ORGANIZATION REPORT NUMBER(S)
6a. NAME OF PERFORMING ORGANIZ. 6b. OFFICE SYMBOL Navy Experimental Diving Unit (If applicable)	7a. NAME OF MONITORING ORGANIZATION
6c. ADDRESS (City, State, and ZIP Code) Panama City, Florida 32407-5001	7b. ADDRESS (City, State, and ZIP Code)
8a. NAME OF FUNDING/SPONSORING ORGANIZATION (If applicable) Naval Sea Systems Command OOC	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER
8c. ADDRESS (City, State, and ZIP Code)	10. SOURCE OF FUNDING NUMBERS
Washington, D.C. 20362-5101	PROGRAM ELEMENT NO. PROJECT NO. TASK NO. WORK UNIT 11-91 ACCESSION NO.
11. TITLE (Include Security Classification) Unmanned Evaluation of BAUER K-280.75 Electric Driv  12. PERSONAL AUTHOR(S) Mr. David Sullivan	re High Pressure Air Compressor
	144
13a. TYPE OF REPORT   13b. TIME COVERED   FINAL   FROM TO	14. DATE OF REPORT (Year, Month, Day) 15. PAGE COUNT September 1991 15
16 SUDDI EMENTADY NOTATION	
17. COSATI CODES 18. SUBJECT TERMS FIELD GROUP SUB-GROUP by block numb	(Continue on reverse if necessary and identify
	uation, BAUER K-280.75 Electric Drive High Pressure Air
19. ABSTRACT (Continue on reverse if necessary and In response to NAVSEA tasking, Navy Experimental Electric Powered High Pressure, Breathing Air Compr The purpose of this evaluation was to determine if	Diving Unit (NEDU) evaluated the BAUER K-280.75
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT  UNCLASSIFIED/UNLIMITED SAME AS RPT. DT	21. ABSTRACT SECURITY CLASSIFICATION  IC USERS
22a. NAME OF RESPONSIBLE INDIVIDUAL	22b. TELEPHONE (Include Area Code) 22c. OFFICE SYMBOL

# CONTENTS

		rage	NO.
I.	INTRODUCTION		1
II.	EQUIPMENT DESCRIPTION	• • • • •	1
	A. COMPRESSOR		1
III.	TEST PROCEDURE AND RESULTS		1
	A. ENDURANCE TEST	• • • • •	2
	B. OIL CONSUMPTION		2
	C. AIR SAMPLING		2
	D. MAINTENANCE		2
	E. PROBLEMS ENCOUNTERED		. 3
IV.	CONCLUSIONS		3
٧.	REFERENCES		4
APPE	NDIX A - Test LogA-1 th	ru A-6	5
APPEI	NDIX B - Air Sample ResultsB-1 th	ru B-2	2

/
1
30
<u> </u>
$\Box$
dos
or .

#### I. INTRODUCTION

In response to NAVSEA tasking<sup>1</sup>, the BAUER electric powered K-280.75 high pressure, breathing air compressor was evaluated by NEDU to determine if the compressor would provide suitable breathing air and have a service life satisfying U.S. Navy requirements for divers air supply compressors.

For the purposes of this evaluation<sup>2</sup>, NEDU chose a method consisting of attaching an arrangement of tubing and valves from the high pressure discharge to a 42 ft floodable volume flask. The arrangement consisted of a vent valve, sample bottle fill valve, 5000 psi gauge and tubing to the flask. At startup the compressor charged the storage flasks to 2000 psig, then the vent was opened to maintain 2000+ psig while the compressor ran continuously. This method closely simulated the operation a compressor would experience in the field.

Random charge rates were taken on a daily basis while compressing from 2000 psig to 3000 psig. The compressor was operated a total of 40.5 hours.

The manufacturer shipped the compressor configured as a 3000 psi unit. After 24 hours of operation they shipped a 4th stage relief valve and temperature probe to change the compressor to a 5000 PSI unit.

# II. EQUIPMENT DESCRIPTION

The BAUER K-280.75 high pressure air compressor is driven by six V belts from a Toshiba 59 hp 1765 rpm 220/460 vac electric motor. The unit has a panel with four stage pressure gauges, one oil pressure gauge and three indicator lights for power on, high temperature and low oil pressure. The motor and compressor units are mounted on a frame set on vibration absorbers. The vibration absorbers are mounted on a skid type frame. The K-280.75 is rated to provide 100 cubic feet per minute (cfm) of free air compressed to 5000 pounds per square inch (psi). The unit is rated to operate in temperatures ranging from 41°F to 95°F. In lower temperatures a heating device is used to pre-heat the crankcase.

#### A. COMPRESSOR

The compressor is a three-cylinder, four-stage, reciprocating, air-cooled unit. The cylinders are arranged in the form of an inverted T. The first and second stage cylinders are lubricated by means of a force-fed lubrication system while the other cylinder is splash lubricated. The cylinders of the compressor block, the intermediate coolers, and the after cooler are air-cooled. The compressor is equipped with two cooling fans which moves the cooling air over inter- and after- coolers and compressor cylinders.

# III. TEST PROCEDURE AND RESULTS

The compressor unit and ancillary equipment were set up in accordance with the NEDU test plan<sup>2</sup> and the K-280.75 compressor maintenance manual<sup>3</sup>. The unit was placed in an exterior work area, open to ambient temperature but

protected by an awning from direct weather. A Digitech HT series, model 5820 temperature monitor and two Yellow Springs Instruments 700 series thermistor probes were attached to measure ambient and compressor discharge temperatures.

The K-280.75 compressor maintenance manual<sup>3</sup> was used to conduct an initial receipt inspection of the equipment to ensure all parts and material were received.

#### A. ENDURANCE TEST

The compressor was operated with no load the first hour of the test. No load conditions consisted of the vent open and the back pressure valve set at 2175 psig. An air sample was taken after one hour. The compressor was operated daily with the vent adjusted to maintain the predetermined discharge pressure. During capacity evaluation the compressor was attached by flexible hose to a 42 cubic ft floodable volume flask. The capacity was verified by charging the flask from 2000 psi to 3000 psig. A total of 45.5 hours of operation were logged. The following parameters were recorded:

- (1) Date
- (2) Time
- (3) Total meter hours
- (4) Total test hours
- (5) Ambient Temperature
- (6) Stage 1 pressure
- (7) Stage 2 pressure
- (8) Stage 3 pressure
- (9) Stage 4 pressure

- (10) Stage 1 Temperature
- (11) Stage 2 Temperature
- (12) Stage 3 Temperature
- (13) Stage 4 Temperature
- (14) Compressor oil level
- (15) Compressor oil pressure
- (16) Compressor discharge line temperature

# B. OIL CONSUMPTION

Prior to beginning the test, the oil sump in the compressor was measured as full on the dip stick. The compressor oil was changed 13 hours into the test (28.8 hours on the total hour meter) per the maintenance manual<sup>3</sup>. Bauer Co. supplied eight gallons of BP Energol RC-150 oil for the change. Compressor oil level was checked each morning. Oil consumption was considered negligible.

# C. AIR SAMPLING

Air samples were taken from the compressor discharge at test hours one and 25 and sent to the NCSC Laboratory, Code 5130, for purity analysis. Results are attached as Appendix B. Both samples were within established limits $^4$ .

# D. MAINTENANCE

Scheduled maintenance was performed at the times indicated in the maintenance manual $^3$ . Those scheduled maintenance actions performed consisted of the following:

- Checked valve function at 30 minutes after startup (daily).
- Checked oil level (daily)

- Changed oil at 25 hours on the total hour meter
- Checked automatic condensate drain (daily)

#### E. PROBLEMS ENCOUNTERED

During the original startup of the unit at NEDU, the automatic condensate drain did not activate for a period of 44 minutes. The illustrations of the timers in the manual are not the same item installed in the unit. The timers had to be set to their indicated three minute position to get them to actually actuate at the proper 15 minute intervals.

No.1 cylinder head developed an oil leak around the head gasket. After 40.5 hours approximately two teaspoons of oil had collected on the cooling fins. Oil could be seen bubbling at the gasket joint.

The high pressure air discharge line from the forth stage developed an oil leak.

Three of the six drive belts twisted and started to deteriorate, indicating a motor and compressor misalignment. There is no procedure in the maintenance manual<sup>3</sup> or aligning or checking alignment of the belts.

The pressure maintaining/non-return valve failed and begin discharging directly to atmosphere. The manual $^3$  gives only a functional description of the valve but no information to assist in attempting repairs.

The accompanying manual<sup>3</sup> provides detailed information of the K-280.75 compressor block. It does not provide detailed information concerning the accessory components on the unit.

When the ambient temperature dropped to 55°F over night, the compressor oil was chilled so the unit had to be restarted three times to pickup enough oil pressure to continue running.

# IV. CONCLUSIONS

It is expected that equipment tested by NEDU is received in the same mechanical condition as a unit delivered to the Fleet. It should not require any repairs or alterations. The problems listed above, considered as mechanical malfunctions and breakdowns, resulted in termination of testing. This unit is not recommended for inclusion in the ANU list<sup>5</sup>.

#### V. REFERENCES

- 1. NAVSEA Task 91-003; Testing of commercially available air compressors for divers use for ANU list.
- 2. NEDU Test Plan No. 91-37 Bauer K-280.75 Electric Drive High Pressure Air Compressor Evaluation
  - 3. Bauer Maintenance Manual High Pressure Compressor Block K-280
- 4. U.S. Navy Diving Manual, Vol. 1, NAVSEA 0994-LP-001-9010, Air Purity Standards
- 5. NAVSEAINST 10560.2 (Series); Diving Equipment Authorized for Navy Use.

TEST LOG BAUER K-28 (MOD-1) ELECTRIC HP AIR COMPRESSOR EVALUATION

								•								-	
						STAGE F	PRESSURES		ST/	AGE TEM	STAGE TEMPERATURES	. S		3	COMPRESSOR	-	
1991 DATE	REAL TIME	TOTAL METER HOURS	TOTAL TEST HOURS	AMB1 TEMP	1 ST STAGE	2 ND STAGE	3 RD STAGE	4 TH STAGE	1 ST STAGE	2 ND STAGE	3 RD STAGE	4 TH OIL STAGE LEVEL	OIL LEVEL	OIL PRESSURE	DISCHG LINE PRESSURE	DISCHG LINE TEMP	
09-18	1300	13.0	00.00	84.₽	62	230	096	2100					FULL	52	2100		
09-18	1400	14.0	1.0	83.4°F	95	280	096	2200	350°F	338°F	191°F	203°F	FULL	52	2200	103.4°F	
09-19	0630	14.0	1.0	72°F	09	560	076	2100	194.6	167°F	140°F	203°F	FULL	50	2000	4.89	
91-60	0220	15.0	2.0	76.1°F	61	592	070	2350	358°F	348°F	194.₽	214°F	FULL	55	2200	102.7°F	
09-19	0830	16.0	3.0	77.8°F	09	560	950	2750 3	320°F	268°F	194°F	257°F	FULL	55	2700	94.3°F	
09-19	0840	17.0	4.0	80.4°F	29	270	930	2700	285°F	248°F	216°F	257°F	FULL	55	2600	113.9°F	
09-19	1030	18.0	5.0	83.6°F	99	270	930	2850	3.962	257°F	212°F	248°F	FULL	55	2800	113.9°F	
09-19	1130	19.0	6.0	87.0°F	09	270	920	2800	304°F	238°F	216°F	257°F	FULL	55	2700	120.4°F	
09-19	1230	20.0	7.0	93.3°F	09	270	920	2750	320°F	238°F	248°F	257°F	FULL	55	2700	126.7°F	
09-19	1330	21.0	8.0	91.3°F	09	270	920	2750	328°F	248°F	248°F	257°F	FULL	55	2700	127.7°F	
09-16	1400	21.5	8.5	89.4°F	09	270	920	2750	328°F	248°F	248°F	257°F	FULL	55	2700	120.4°F	
							-										
							-										

COMMENTS 09-18 1400 TOOK ONE HOUR AIR SAMPLE ADJUSTED AUTO CONDENSATE DRAIN TIMERS CHECK COMPRESSOR OIL LEVEL

09-19 0810 TOOK CHARGE RATE IT TOOK 20::58 TO CHARGE FROM 2000 TO 3000 PSI

TEST LOG BAUER K-28 (MOD-1) ELECTRIC HP AIR COMPRESSOR EVALUATION

						STAGE	PRESSURES	ES	ST	AGE TEM	STAGE TEMPERATURES	S:		J	COMPRESSOR		
1991 DATE	REAL	TOTAL METER HOURS	TOTAL TEST HOURS	AMBI	1 ST STAGE	2 ND STAGE	3 RD STAGE	4 TH STAGE	1 ST STAGE	2 ND STAGE	3 RD STAGE	4 TH OIL STAGE LEVEL	OIL LEVEL	OIL PRESSURE	DISCHG LINE PRESSURE	DISCHG LINE TEMP	
09-20	0630	21.5	8.5	68.5°F	09	255	930	2300	176°F	141°F	113°F	113°F FULL	FULL	87	2200	70.4°F	
03-50	0730	22.5	9.5	69.0°F	62	270	920	2300	285°₽	230°F	194°F	167°F FULL	FULL	55	2200	92.7°F	
09-50	0830	23.5	10.5	70.8°F	09	270	920	2250	285°F	240°F	194°F	176°F FULL	FULL	55	2100	93.7°F	
03-60	0830	24.5	11.5	76.5°F	09	270	920	2250	295°F	248°F	194°F	185°f FULL	FULL	55	2100	94.6°f	
03-60	1030	25.5	12.5	79.4°F	09	270	920	2250	295.₽	248°F	203°F	176°F FULL	FULL	55	2100	100.7°F	
03-50	1130	26.5	13.5	80.9°F	09	270	920	2200	295∙£	257°F	212°F	203°F	FULL	55	2100	105.0°F	
03-60	1230	27.5	14.5	86.1°F	9	270	920	2150	295∙F	257°F	212°F	212°F	FULL	55	2500	106.2°F	
03-60	1330	28.5	15.5	86.2°F	09	270	930	2600	312°F	268°F	248°F	212°F FULL	FULL	55	2500	109.9°F	
09-50	1348	28.8	15.8	87.3°F	99	270	940	3100	312°F	268°F	257°F	212.F FULL	FULL	55	3000	114.4°F	AUTO SHUTDOWN TEST
														-			
									,								
								,									
									COMMENTS	CUTC							

1135 TOOK CHARGE RATE IT TOOK :22::05 TO CHARGE FROM 2000 TO 3000 PSI

AT 1345 THE VENT VALVES WERE CLOSED AND THE UNIT ALLOWED TO BUILD PRESSURE ABOVE 3000PSI. THE CUTOUT SWITCH FUNCTIONED PROPERLY AND THE UNIT SHUTOFF AT

1348 IT WAS ALLOWED TO COOL AND THE 25 HOUR BREAK-IN OIL CHANGE WAS DONE

TEST LOG BAUER K-28 (MOD-1) ELECTRIC HP AIR COMPRESSOR EVALUATION

								I				: ,				!	
						STAGE	PRESSURES	S	ST	STAGE TEMPERATURES	PERATUR	ES .		3	COMPRESSOR		
1991 DATE	REAL TIME	TOTAL METER HOURS	TOTAL TEST HOURS	AMBI TEMP	1 ST STAGE	2 ND STAGE	3 RD STAGE	4 TH STAGE	1 ST STAGE	2 ND STAGE	3 RD STAGE	4 TH OIL STAGE LEVEL	OIL	O1 L PRESSURE	DISCHG LINE PRESSURE	DISCHG LINE TEMP	
09-23	0630	28.8	15.8	72.6°F	62	270	925	2200	₹27.5	212°F	140°F	203°F	FULL	52	2200	80.9°F	
09-23	0730	29.8	16.8	74.8°F	62	270	925	2200	285°F	230°F	212°F	203°F	FULL	54	2100	99.8°F	
09-23	0830	30.8	17.8	80.0°F	62	270	925	2400	230°F	230°F	212°F	285°F	FULL	54	2350	105.6" F	
09-23	0830	31.8	18.8	87.∪°۶	62	270	930	2550	₹95.5	230°F	212°F	248°F	FULL	54	2500	112.5°F	
09-23	0942	32.0	19.0	89.4°F	29	270	930	2550	295°F	230°F	212°F	248°F	FULL	54	2500	114.7°F	
09-23	1030	32.0	19.0	95.2°F	09	255	925	2600	212.0	203°F	140°F	149°F	FULL	50	2500	86.9°F	
09-23	1130	33.0	20.02	93.8°F	09	270	526	2300	312°F	257°F	212°F	212°F	FULL	54	2200	109.9°F	
09-23	1230	34.0	21.0	91.4°F	09	270	925	2400	320°F	257°F	222°F	212°F	FULL	54	2300	112.9°F	
09-23	1330	35.0	22.0	92.8°F	09	270	925	2400	320∙F	328°F	222°F	212°F	FULL	54	2300	114.5°F	-,
09-23	1430	36.0	23.0	93.6°F	09	270	910	2000	306°F	257°F	212°F	212°F	FULL	54	1950	101.3	
						,											

COMMENTS

0942 IMPROPER ADJUSTMENT OF THE VENT VALVES CAUSED THE UNIT TO CYCLE ON THE HP CUTOFF SWITCH. RESTART AT 1030 TO KEEP METER AND TEST HRS ON EVEN TIME 1340 TOOK CHARGE RATE IT TOOK 22::17 TO CHARGE FROM 2000 TO 3000 PSIG

TEST LOG BAUER K-28 (MOD-1) ELECTRIC HP AIR COMPRESSOR EVALUATION

r	ı		Γ	т—	T	1	1	1	г	 		 1	<del></del>
	DISCHG LINE TEMP	73.2°F	110.2°F		119.2°F	122.3°F							
COMPRESSOR	DISCHG LINE PRESSURE	1700	2400		7500	4200							
	O1L PRESSURE	87	55		55	55							
	OI L LEVEL	FULL	FULL		FULL	FULL							
ES	4 TH OIL STAGE LEVEL	104°F	248°F		312°F	295°F							180
STAGE TEMPERATURES	3 RD STAGE	104°F	222°F		212°F	203°F							COMMENTS RESET HP CUTOUT SWITCH TO 5100 PSI
TAGE TEI	2 ND STAGE	140°F	257°€		238°F	238°F							MENTS WITCH T
S	1 ST STAGE	167°F	304 ⋅ F		295°F	304°F						•1.	COM JTOUT S
ES	4 TH STAGE	2100	2500		4350	4300							# # D
PRESSURES	3 RD STAGE	920	925		096	096							<b>i</b>
STAGE	2 ND STAGE	250	270		275	275							EF VALVE
	1 ST STAGE	09	09		29	62							SI RELII
	AMB1 TEMP	76.8°F	79.0°F		0.48	85.4							L 5000F
	TOTAL TEST HOURS	23.0	24.0		24.0	25.0							R INSTAL
	TOTAL METER HOURS	36.0	37.0		37.0	38.0							0730 SECURE COMPRESSOR INSTALL 5000FSI RELIEF VALVE,
	REAL TIME	0830	0730		0800	0060							ECURE CO
	1991 DATE	09-54	09-54		09-54	09-54							0730 s

TEST LOG
BAUER K-28 (MOD-1)
ELECTRIC HP AIR COMPRESSOR EVALUATION

				ſ				#  - 	ECTRIC	HP AIR	COMPRE	ELECTRIC HP AIR COMPRESSOR EVALUATION	ALUAT I	N			
						STAGE	PRESSURES	S	STA	GE TEM	STAGE TEMPERATURES	ES		J	COMPRESSOR		
1991 DATE	REAL TIME	TOTAL METER HOURS	TOTAL TEST HOURS	AMB I TEMP	1 ST STAGE	2 ND STAGE	3 RD STAGE	4 TH STAGE	1 ST STAGE	2 ND STAGE	3 RD STAGE	4 TH OIL STAGE LEVEL		O1L PRESSURE	DISCHG Line Pressure	DISCHG LINE TEMP	
09-25	0630	38.0	25.0	71.2°F	09	270	056	3800 1	1.291	150°F	104°F	104°F	FULL	87	3700	74.2°F	
09-25	0730	39.0	26.0	74.3°F	62	280	026	4700	268°F 2	248°F 2	212°F	330°F	FULL	54	7600	122.6°F	
09-25	0830	40.0	27.0	73.9°F	62	280	026	4700	320°F 2	248°F 2	203°F	320°F	FULL	54	4600	120.6°F	
09-25	0630	41.0	28.0	76.5°F	62	290	026	4850 2	295°F 2	257°F 2	212°F	302°F	FULL	54	4800	120.0°F	
09-25	1030	45.0	29.0	81.5°F	62	280	096	4700 2	285°F 2	266°F	212°F	312°F	FULL	54	4600	122.1°F	
09-25	1130	43.0	30.0	81.6°F	29	280	096	4750 2	285°F 2	3.89Z	212°F	338°F	FULL	54	4600	124.9°F	
09-25	1230	44.0	31.0	86.2°F	62	280	096	4700	\$95°F 2	257°F 3	222°F	348°F	FULL	54	4600	132.5°F	
09-25	1330	45.0	32.0	82.1°F	62	280	596	7 0067	295°F 2	257°F 2	230°F	338°F	FULL	54	7800	132.3°F	
09-25	1400	45.5	32.5	85.6°F	95	280	096	4600 2	295°F 2	257°F 2	230°F	338°F	FULL	54	7200	125.2°F	
								-									
							,	-					<del></del>				
													_				
						-											
								•••									
									COMMENTS	ENTS							

1235 TOOK CHARGE RATE IT TOOK :21::25 TO CHARGE FROM 2000 TO 3000PSI

0640 TOOK 25 HOUR AIR SAMPLE

TEST LOG BAUER K-28 (MOD-1) ELECTRIC HP AIR COMPRESSOR EVALUATION

COMPRESSOR	VEL PRESSURE LINE LINE PRESSURE TEMP	PRESSURE LINE PRESSURE	FULL 45 1800 60°F	FULL 54 4700 111.4°F	FULL 54 4700 113.5°F	FULL 54 4600 113.6°F	FULL 54 4600 119.8°F	FULL 54 4600 122.3°F	FULL 54 4600 122.1°F	FULL 54 4750 122.3°F	FULL 54 4750 , 117.8°F			
rures	SE STAGE LEVEL		122°F	302°F	266°F	302°F	320°F	312°F	312°F	320°F	312°F	-		
STAGE TEMPERATURES	2 ND 3 RD STAGE STAGE		130°F 122°F	230°F 194°F	230°F 194°F	257°F 194°F	257°F 203°F	257°F 212°F	257°F 212°F	257°F 212°F	257°F 212°F			
STAG	1 ST STAGE	STAGE	167°F 13	257.  23	312°F 23	282°F 25	275°F 25	295°F 25	295°F 25	295°F 25	302°F 25			·
SSURES	RD 4 TH		2200	4800	7800	4700	7.00	7,700	7.00	4850	4850			_
STAGE PRESS	2 ND 3 RD STAGE STAGE	. R	0 920	0   970	096 0	0 970	0.40	0 970	0 970	0.79	0 970			
ST	1 ST 2 STAGE ST		60 250	62 280	62 280	62 280	62 280	62 280	62 280	62 280	62 280			
	AMB I TEMP		63.7°F	62.5°F	68.3°F	72.6°F	74.8°F	78.9°₽	83.5°F	81.4°F	86.3°F			
	TOTAL TEST HOURS	TEST	32.5	33.5	34.5	35.5	36.5	37.5	38.5	39.5	40.5			
	TOTAL METER HOURS	METER	45.5	46.5	47.5	48.5	49.5	50.5	51.5	52.5	53.5			
	REAL TIME	T I ME	0630	0730	0830	0630	1030	1130	1230	1330	1430		 	
	1991 DATE	DATE	09-56	09-56	92-60	92-60	09-56	09-56	92-60	92-60	09-59			ļ 

COMMENTS 1235 TOOK CHARGE RATE IT TOOK :20::34 TO CHARGE FROM 2000 PSI TO 3000 PSI

To: Dave Sullivan, NEDU

From: G. Deason, Code 5130

Subject: Analysis of air sample from Bauer K280 compressor

evaluation. One hour sample.

1. In accordance with your request, the air sample delivered to the gas analysis lab was analyzed and found to contain:

Component	Sample
Oxygen	21%
Nitrogen	78.1%
Argon	0.9%
Carbon Dioxide	350 PPM
Carbon Monoxide	1.2 PPM
Total Hydrocarbons*	2.5 PPM
Total Halogens**	<0.5 PPM
Methane	2.5 PPM
Acetylene	<0.1 PPM
Acetone	<0.1 PPM
Freon 113	<0.1 PPM
Methyl Ethyl Ketone	<0.1 PPM
Ethylene	<0.1 PPM
Toluene	<0.1 PPM
Benzene	<0.1 PPM
Formaldehyde	(O.1 PPM :
C4+	<0.1 PFM

- \*Expressed as methane equivalents.
- \*\*Expressed as methyl chloride equivalents.
- 2. The above sample showed no appreciable contamination; all components were within the acceptable range of the U.S. Navy Diver's Air Purity Standards.

Glen Deason Chemist

26 September 1991

Memorandum

To: Dave Sullivan, NEDU

From: G. Deason, Code 5130

Subject: Analysis of Bauer K-280 compressor evaluation air

sample. Twenty-five hour sample.

1. In accordance with your request, the air sample delivered to the gas analysis lab was analyzed and found to contain:

Component	Sample
Oxygen	21%
Nitrogen	78.1%
Argon	0.9%
Carbon Dioxide	336 PPM
Carbon Monoxide	4.3 PPM
Total Hydrocarbons*	2.6 PPM
Total Halogens**	<0.5 PPM
Methane	1.4 PPM
Acetylene	<0.1 PPM
Acetone	<0.1 PPM
Freon 113	<0.1 PPM
Methyl Ethyl Ketone	<0.1 PPM
Ethylene	<0.1 PPM
Toluene	<0.1 PFM
Benzene	<0.1 PPM
Formaldehyde	<0.1 PPM
C4+	<0.3 PPM

<sup>\*</sup>Expressed as methane equivalents.

Glen Deason Chemist

<sup>\*\*</sup>Expressed as methyl chloride equivalents.

<sup>2.</sup> The above sample showed no appreciable contamination; all components were within the acceptable range of the U.S. Navy Diver's Air Purity Standards.